

NH-310C EoC Endpoint Performance Table

NH-310C Downstream: (Packet Error Rate=0)

Item	Attn (db)	Rate(Mbps)	Link Quality	Item	Attn (db)	Rate(Mbps)	Link Quality
1	10	224	Green	34	43	192	Green
2	11	224	Green	35	44	192	Green
3	12	224	Green	36	45	192	Green
4	13	224	Green	37	46	160	Green
5	14	224	Green	38	47	160	Green
6	15	224	Green	39	48	160	Green
7	16	224	Green	40	49	160	Green
8	17	224	Green	41	50	128	Green
9	18	224	Green	42	51	128	Green
10	19	224	Green	43	52	128	Green
11	20	224	Green	44	53	96	Green
12	21	224	Green	45	54	64	G Y
13	22	224	Green	46	55	64	G Y
14	23	224	Green	47	56	64	G Y
15	24	224	Green	48	57	64	G Y
16	25	224	Green	49	58	64	G Y
17	26	224	Green	50	59	64	G Y
18	27	224	Green	51	60	32	Yellow
19	28	224	Green	52	61	32	Yellow
20	29	224	Green	53	62	16	Yellow
21	30	224	Green	54	63	0	Yellow
22	31	224	Green	55	64	0	Yellow
23	32	224	Green	X			
24	33	224	Green				
25	34	224	Green				
26	35	224	Green				
27	36	224	Green				
28	37	224	Green				
29	38	224	Green				
30	39	224	Green				
31	40	224	Green				
32	41	224	Green				
33	42	224	Green				

NH-310C Upstream: (Packet Error Rate=0)

Item	Attn (db)	Rate(Mbps)	Link Quality	Item	Attn (db)	Rate(Mbps)	Link Quality
1	10	256	Green	34	43	192	Green
2	11	256	Green	35	44	192	Green
3	12	256	Green	36	45	192	Green
4	13	256	Green	37	46	160	Green
5	14	256	Green	38	47	160	Green
6	15	256	Green	39	48	160	Green
7	16	256	Green	40	49	160	Green
8	17	256	Green	41	50	128	Green
9	18	256	Green	42	51	128	Green
10	19	256	Green	43	52	128	Green
11	20	256	Green	44	53	96	Green
12	21	256	Green	45	54	64	G Y
13	22	256	Green	46	55	64	G Y
14	23	256	Green	47	56	64	G Y
15	24	256	Green	48	57	64	G Y
16	25	256	Green	49	58	64	G Y
17	26	256	Green	50	59	64	G Y
18	27	256	Green	51	60	32	Yellow
19	28	256	Green	52	61	32	Yellow
20	29	256	Green	53	62	16	Yellow
21	30	256	Green	54	63	0	Yellow
22	31	256	Green	55	64	0	Yellow
23	32	256	Green	X			
24	33	224	Green				
25	34	224	Green				
26	35	224	Green				
27	36	224	Green				
28	37	224	Green				
29	38	224	Green				
30	39	224	Green				
31	40	224	Green				
32	41	224	Green				
33	42	192	Green				

Notes:

1. The performance data above is for reference only, the actual data rate of the EOC Endpoint's will vary depending on the quality of the coaxial cable and environment factors.
2. We recommend use RG59 75 ohm coaxial cable and link established under